

Max



MAX

Max



MAX

Max




Max




MAX






202M01E
olmo eclisse / eclisse elm




202M01BL
bianco laccato / white lacquered

m³ 0,06 **KG** 29




202M02E
olmo eclisse / eclisse elm




202M02BL
bianco laccato / white lacquered

m³ 0,09 **KG** 46




Cassetto soft-close
Soft-close drawer

202M03E
olmo eclisse / eclisse elm




202M03BL
bianco laccato / white lacquered


m³ 0,07 **KG** 34




202M04E
olmo eclisse / eclisse elm



m³ 0,05 **KG** 26





202M05E
olmo eclisse / eclisse elm




m³ 0,03 **KG** 14

Min. Cm 50 Cm 100 Cm 150 Cm 200 Cm 250 Max. Cm 300




m³ 0,09 **KG** 55




202M13E
olmo eclisse / eclisse elm

202M13BL
bianco laccato / white lacquered

m³ 0,09 **KG** 55





202M06E
olmo eclisse / eclisse elm





m³ 0,09 **KG** 45

202M06BL
bianco laccato / white lacquered




m³ 0,08 **KG** 42

202M07E
olmo eclisse / eclisse elm




m³ 0,08 **KG** 38

202M08E
olmo eclisse / eclisse elm




Ripiani in vetro
con led integrati
Glass shelves with
led lights included

202M09E
olmo eclisse / eclisse elm




202M09BL
bianco laccato / white lacquered

m³ 0,12 **KG** 62





Ripiani in vetro
con led integrati
Glass shelves with
led lights included

202M10E
olmo eclisse / eclisse elm




202M10BL
bianco laccato / white lacquered

m³ 0,15 **KG** 91




202M11BL
bianco laccato / white lacquered

m³ 0,16 **KG** 76



202M12E
olmo eclisse / eclisse elm



202M12BL
bianco laccato / white lacquered

m³ 0,16 **KG** 77

Caratteristiche tecniche / Technical specifications

Caratteristiche tecniche

Tutti gli elementi sono realizzati con pannelli in nobilitato melaminico di classe E1, secondo la normativa CEE a bassa emissione di formaldeide. I pannelli sono di spessore 15 e 22 mm. I bordi dei top e dei frontali sono rinforzati in ABS. I cassetti sono dotati di guide in metallo con sistema di sicurezza antiuscita.

Technical specifications

All the elements are faced with melamine resins of European class E1 (EEC class, with a low formaldehyde emission). Panels have thickness 15 e 22 mm. Tops and fronts are ABS edgebanded. Drawers include metal runners with safety stop system.

Maniglie / Handles

Maniglie presenti solo nella versione olmo eclisse.
Metal handle available only on Max in elm eclisse.



Nella versione bianco laccato é presente la chiusura "push-pull".
White lacquered Max range no handle - with "push-pull".

